
DATA SHEET

CHERRY PIPES

60 mm Gas Pipe Specification BS 4962

Material: High Density Polyethylene (HDPE)
Colour: Yellow

Pipe Wall Profile





Dimensions	mm	in
Pitch	8.26	0.325
Profile Height	4.71	0.185
Inside Diameter	50.65	1.994
Outside Diameter	60.06	2.365

Design Values	
Ring Stiffness	> 7 KN/m²
Material Density	0.96g/cm³
Minimum Bend Radius	1m

Perforations	mm	in
Length	15	0.591
Thickness	2	0.079

Pipe Perforated in a 2 x 2 offset pattern

Available Lengths:
50 m
150 m

00 44 (0)28 3885 3900
cherrypipes.com
sales@cherrypipes.com

12 Derryhirk Road
Dungannon, Co. Tyrone
BT71 6NH.
Northern Ireland


DATA SHEET

CHERRY PIPES

80 mm Gas Pipe Specification BS 4962

Material: High Density Polyethylene (HDPE)
Colour: Yellow

Pipe Wall Profile





Dimensions	mm	in
Pitch	11.01	0.433
Profile Height	6.25	0.246
Inside Diameter	67.51	2.658
Outside Diameter	80.01	3.150

Design Values	
Ring Stiffness	> 6 KN/m²
Material Density	0.96g/cm³
Minimum Bend Radius	1m

Perforations	mm	in
Length	15	0.591
Thickness	2	0.079

Pipe Perforated 4 in every well

Available Lengths:

25 m
50 m
100 m

00 44 (0)28 3885 3900
cherrypipes.com
sales@cherrypipes.com

12 Derryhirk Road
Dungannon, Co. Tyrone
BT71 6NH.
Northern Ireland


DATA SHEET

CHERRY PIPES

100 mm Gas Pipe Specification BS 4962

Material: High Density Polyethylene (HDPE)
Colour: Yellow

Pipe Wall Profile





Dimensions	mm	in
Pitch	14.15	0.557
Profile Height	7.39	0.291
Inside Diameter	85.25	3.356
Outside Diameter	100.04	3.939

Design Values	
Ring Stiffness	> 5 KN/m²
Material Density	0.96g/cm³
Minimum Bend Radius	1m

Perforations	mm	in
Length	15	0.591
Thickness	2	0.079

Pipe Perforated in a 2 x 2 offset pattern

Available Lengths:

25 m
50 m
100 m

00 44 (0)28 3885 3900
cherrypipes.com
sales@cherrypipes.com

12 Derryhirk Road
Dungannon, Co. Tyrone
BT71 6NH.
Northern Ireland


DATA SHEET

CHERRY PIPES

160 mm Gas Pipe Specification BS 4962

Material: High Density Polyethylene (HDPE)
Colour: Yellow

Pipe Wall Profile





Dimensions	mm	in
Pitch	16.51	0.650
Profile Height	10.71	0.422
Inside Diameter	138.58	5.456
Outside Diameter	160.00	6.299

Design Values	
Ring Stiffness	> 4 KN/m²
Material Density	0.96g/cm³
Minimum Bend Radius	1m

Perforations	mm	in
Length	15	0.591
Thickness	2	0.079

Pipe Perforated in a 2 x 2 offset pattern

Available Lengths:
35 m

00 44 (0)28 3885 3900
cherrypipes.com
sales@cherrypipes.com

12 Derryhirk Road
Dungannon, Co. Tyrone
BT71 6NH.
Northern Ireland